

Meyra Orbit power wheelchair request for quote



0800 238 523
sales@mortonperry.co.nz

For comparison charts & specifications visit:
mortonperry.co.nz

Client Name: _____ User weight: _____
 Therapist: _____ Date: _____
 Organisation: _____
 Enable ACC Enable MOH Accessable MOH

Standard Specifications* - No up-charge

- Power functions: tilt
- Manual back recline 30 degrees & folddown flat
- Controller swingaway RH or LH
- Turning radius 16"/40cm
- 4 Pole, 350w motors. Range max. 35-40km
- Max user SWL 160kg
- Controller swingaway RH or LH
- The client can remain seated in the power wheelchair during vehicle transport. Safety crash tested design. ISO7176-19, NZ LVVTA 45-60 2.6.

Seat width & depth

Width		Depth	
ORBIT 160	ORBIT XL	<input type="checkbox"/> 16"/40	<input type="checkbox"/> 21"/52.5
<input type="checkbox"/> 38	<input type="checkbox"/> 55	<input type="checkbox"/> 17"/42.5	<input type="checkbox"/> 22"/55
<input type="checkbox"/> 43	<input type="checkbox"/> 60	<input type="checkbox"/> 18"/45	<input type="checkbox"/> _____
<input type="checkbox"/> 48		<input type="checkbox"/> 20"/50	<input type="checkbox"/> Other _____
<input type="checkbox"/> 53			

Power Functions - base

- At no charge: Tilt
 Elevate

Floor to seat pan (F)

- | | |
|--|--------------------------------------|
| <input type="checkbox"/> 17-17.75" *Standard | <input type="checkbox"/> 19-19.75" |
| <input type="checkbox"/> 18-18.75" | <input type="checkbox"/> Other _____ |

Rear wheel configurations

- 5 wheel 6 wheel

Drive Configurations

MWD - Orbit 160

- 5 wheel configuration
- Single rear castor
- 16" turning radius



STANDARD SPECIFICATIONS:
Seat width: 15", 17", 19" unless specified

MWD - Orbit 160 - XL

- 6 wheel configuration
- Double rear castor
- Seatplate re-enforced



STANDARD SPECIFICATIONS:
Seat width: 21", 21.5", 23.5" unless specified

Back Configuration

Angle adjustable back posts standard

- No upholstery
- Tall straight 1" - adjustable width

Controller swing-away

- Right hand side
- Left hand side

Electronics

- 2 power functions (standard)
- PG JSM LED (standard)
- JSM other: _____
- Attendant control dual (XME408 / XME702)

Leg Support

- Thigh guide - Left
- Thigh guide - Right

Lower leg support assembly - manual

- Centre 28-40cm
- Centre 33-45cm
- 70° swing away - L/H
- 70° swing away - R/H
- Elevating with calf support L/H
- Elevating with calf support R/H

Footplate

- Manual centre - standard
- Manual centre - standard - extension long (27cm)
- Manual Centre - with pull up system
- Posterior foot support (heel loops)

Stump support

- Left
- Right
- Both

Arm support


- Desk
- Flip-up
- Gel
- Full length
- Drop in
- Gutter

Pelvic positioning belt

- Standard
- Small
- 2-point padded
- Medium/Large
- 4-point padded

Tyres

- Drive tyres: Pneumatic (std)
- Solid



Min. seat to floor height = Lower leg length - cushion + clearance or Seat to floor = C-E+G

Seating - Cushion

<input type="checkbox"/> Not required		Size (width x height):		
<input type="checkbox"/> Vicair Active O2	6cm	_____		
<input type="checkbox"/> Vicair Active O2	9cm	_____	Covers:	
<input type="checkbox"/> Vicair Adjuster O2	6cm	_____	Inco	<input type="checkbox"/>
<input type="checkbox"/> Vicair Adjuster O2	10cm	_____	Comfair	<input type="checkbox"/>
<input type="checkbox"/> Vicair Adjuster O2	12cm	_____		
<input type="checkbox"/> Vicair Vector O2	6cm	_____		
<input type="checkbox"/> Vicair Vector O2	10cm	_____		
<input type="checkbox"/> Nxt Biofit	10cm	_____		
<input type="checkbox"/> Other (please specify)	_____			

VICAIR O2
ACTIVE 9



VICAIR O2
ADJUSTER 10



VICAIR O2
VECTOR 10



nxt
SEATING
Biofit



Seating - Back system

<input type="checkbox"/> Not required	Size (width x height):	
<input type="checkbox"/> Nxt Xtend (AC)	_____	
<input type="checkbox"/> Nxt Xtend Deep (PC)	_____	
<input type="checkbox"/> Nxt Optima Carbon (AC)	_____	
<input type="checkbox"/> Nxt Optima Carbon Deep (PC)	_____	
<input type="checkbox"/> Other (please specify)	_____	

nxt
SEATING
Xtend




nxt
SEATING
Optima Carbon



Headrest

<input type="checkbox"/> Not required
<input type="checkbox"/> Orbit head support asmb with clamp (standard)
<input type="checkbox"/> Nxt Multifit - Contoured
<input type="checkbox"/> Nxt Multifit - Large
<input type="checkbox"/> Nxt Multifit - Extra Large
<input type="checkbox"/> Other (please specify) _____

Includes headrest stem & brackets to attach to back system



Set-up Instructions

Accessories (view accessories catalogue on our website)